



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



## PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

(7) Injured, unknown severity

PSU 49

CASE NO. 619P

TYPE OF ACCIDENT Car/Ped/Crossing road straight

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

VI was traveling south in the second lane of a three-lane divided asphalt urban freeway at an estimated speed of 60 miles per hour. Pl was attempting to cross the freeway traveling west. Pl was apparently running straight across the southbound travel lanes. Pl slowed in an attempt to avoid VI, but the front-left of VI struck him. After being struck, Pl spun along the left side of VI and was thrown to the pavemant. The driver of VI stated that she observed Pl slowing or stopped in the middle of the second suthbound lane and braked and steered right, but was unable to avoid Pl. After striking Pl, VI pulled off the travel lanes on to the west shoulder. The driver of VI stated that Pl came to rest with his upper body in the first lane and his lower body in the second lane. She said that he got up after he came to a resting position and walked to the west shoulder and sat down until help arrived. Pl was transported and treated and released. VI was driven.

**B. PEDESTRIAN PROFILE** Most Severe Injury (TO BE COMPLETED BY ZONE CENTER) Pedestrian Treatment/ No. Age Sex Mortality **Body Region** Ana. Struc. AIS **Injury Source** Treat & Rel. Lipser Extrem Skeletal Male 01 38

Type of Anatomic Structure	Abbreviated Injury Scale
Whole Area	(1) Minor injury (2) Moderate injury
Nerves	(3) Serious injury (4) Severe injury
Organs Skeletal Head-LOC	<ul><li>(5) Critical injury</li><li>(6) Maximum (untreatable)</li></ul>
	Whole Area Vessels Nerves Organs Skeletal

Skin-Burn

Skin-Other


C. VEHICLE PROFILE											
	Class		Most Severe Damage Based on Vehicle Inspection								
Vehicle No.		Year/Make/Model	Damage Plane	Damage Description							
01	Subcompact car	95 / Saturn / SCl	Left	Light damage - Left side mirror off, window broken out, scratches							

DO NOT SANITIZE THIS FORM

Upper Extremity

Lower Extremity


External





## **ACCIDENT COLLISION DIAGRAM**

National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM





# PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Pi	rimary Sampling Unit Number $\underline{49}$	-		Case N	umber-	-Stratum <u>6 1 G P</u>
•	PEDESTRIAN ACCIDENT CO		SCALED DIAGRAM			
	document reference point and reference line relative to physical features	Surface Type	(0)	YCREK	* nor	th arrow placed on diagram
•	documentation of all accident induced physical evidence including (if applicable):	Surface Condition	, <u>20</u>	2		de measurements for all applicable dways
	a): vehicle skid marks:	Coefficient of Frid	tion <u>- /</u>	<i></i> б		eled representations of the physical plant luding:
	b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement _4	/pi	a)	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
	c): vehicle/pedestrian point of impact (POI)	a) at impa	ct Y	1166	b)	all traffic controls (e.g., lights, signs)
	d) location of pedestrian separation point from vehicle	b): between impact and -4/122				aled representations of the vehicle and destrian at pre-impact, impact, and final at based upon either:
	f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Travel Direction				physical evidence, or
•	documentation of the physical plant including:	Vehicle Travel D	rection		b)	reconstructed accident dynamics
	all road/roadway defineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)  b) all traffic controls (e.g., lights, signs)	Number of Trave	Itanes <u>2</u> ×	<u>e</u>		
4	eference Point: 5 W Conne	RIDGE				EDGEOF
	Item			and Directior ference Point		Distance and Direction from Reference Line
	RP TORY		3	. (		
	XPPROX FRPI		7	9.55		6.5E
L						
L		M. 110				
_	The state of the s			· · · · · · · · · · · · · · · · · · ·		
L						?
L						
L						
L		<u> </u>				
_						

Item from Reference Point from Reference Line		Distance and Direction	Distance and Direction
	Item	from Reference Point	from Reference Line
		-	
			·
1			

National Highway Traffic Safety

## PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration	DESTINATION A	PEDESTRIAN CRASH DATA ST	Ü
Primary Sampling Unit Number	49	SPECIAL STUDIES - INDICATORS	
2. Case Number - Stratum	6 19 P	Check ( ) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed; code 1 for the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been completed to the checked special study (SS15-SS19 below) that has been comp	
IDENTIFICATION		studies and 0 for the special studies not checked.	
Number of General Vehicle     Forms Substituted	0 1	6SS15 Administrative Use	<u>)</u>
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study <u>1</u>	L
4. Date of Accident (Month, Day, Year)	/ 9 <del>/</del>	8SS17 Impact Fires	<u>)</u>
5. Time of Accident	2339	9SS18	<u>)</u>
Code reported military time of a	ccident.		
NOTE: Midnight = 2400		10SS19	<u>)                                    </u>
Unknown = 9999		NUMBER OF EVENTS	
		11. Number of Recorded Events	

## PEDESTRIAN STUDY CRITERIA

in This Accident

#### Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are <u>not</u> pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

### Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS									
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage			
12. <u>0 1</u>	13. <u>0 1</u>	14	15	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>			

## CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

## CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

## CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



U.S. Department of Transportation National Highway Traffic Safety Administration

## PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 49	10. Pedestrian's Weight Code actual weight to the nearest
2. Case Number - Stratum 6 19 P	kilogram. (999) Unknown
3. Pedestrian Number0_1	<u>240</u> pounds X .4536 = <u>↓ 99</u> kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex  (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown  6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion  (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7 L inches X 2.54 = 183 centimeters  7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown  inches X 2.54 = centimeters  8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify): (99) Unknown
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

#### PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest 2 SIX-PACKS (00) No avoidance actions (03) Hands clasped behind back (01) Stopped (04) Hands on hips (02) Accelerated pace (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle (06) Extended upward (06) Turned away from vehicle (07) Extended to side (07) Dove or fell away (08) Extended forward bracing (09) Extended, holding object Used hand(s) to: (briefcase, suitcase, etc.) (10) Holding object (young child, (11) Vault corner of vehicle grocery bag, etc.) in arm(s) (12) Vault onto vehicle (13) Brace against vehicle (11) Holding object (young child, grocery (14) Crouched and braced hands against vehicle bag, etc.) on shoulder(s) or head (98) Other (specify): \_\_\_\_\_ (98) Other (specify):\_\_\_\_ (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown 16. Pedestrian's Head Orientation (06) Left foot off the ground at Initial Impact (07) Right foot off the ground (1) To front (08) Both feet off the ground (2) To left (98) Other (specify):\_\_\_\_ (3) To right (99) Unknown (4) Up (5) Down 20. Vehicle/Pedestrian's Interaction (8) Other (specify): (01) Carried by vehicle, wrapped position (9) Unknown (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation (05) Thrown straight forward at Initial Impact (06) Thrown forward and left of vehicle (1) Facing vehicle (07) Thrown forward and right of vehicle (2) Facing away (08) Knocked to pavement, forward (3) Left side to vehicle (09) Knocked to pavement, left of vehicle (4) Right side to vehicle (10) Knocked to pavement, right of vehicle (8) Other (specify):\_\_\_\_ (11) Knocked to pavement, run over or (9) Unknown dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify): Brustond o (99) Unknown size surved to Fell to ground Point of Impost

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown  26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):  Nonfatal (3) Hospitalization
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify):  (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost  Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	E COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death  35. 2nd Medically Reported Cause of Death  36. 3rd Medically Reported Cause of Death  Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	<ul> <li>(00) Not fatal or no additional causes</li> <li>(96) Mode of death given but specific injuries are not linked to cause of death. (specify):</li> <li>(97) Other result (includes fatal ruled disease) (specify):</li> </ul>
32. Arterial Blood Gases (ABG) – HCO <sub>3</sub> (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured	(99) Unknown  37. Number of Recorded Injuries for
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60)  (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD	S INCLUDED WITH INITIAL SUBMISSION? YES[]
UPDATE CANDIDATE?	NO[] YES[Y

## PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

49

3. Pedestrian Number

0\_1

2. Case Number - Stratum

6 <u>19</u> P

4. Blank

## **INJURY DATA**

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
lst	5. <u>3</u>	6. <u>8</u>	7. <u>9</u>	8. <u>0</u> 2	9. <u>0 2</u>	10. <u> </u>	11. 2	12. <u>72.0</u>	? 13. <u>/</u>	14. 📙	15. <u>3</u>	16, _2	-17.2
2nd	18. 7	19. 8	20. <u>9</u>	21. <u>06</u>	22. <u>O Z</u>	23	24. <u> </u>	25. 720	26. <u> </u>	27	28. <u>3</u>	29. 2	<sub>30.</sub> <u>Z</u>
3rd	317	32. <u> </u>	33. <u>9</u>	34. <u>0 4</u>	35. <u>U Z</u>	- 36. <u> </u>	37	38. <u>7 2</u> .	≥ 39. <u>/</u> •	40	417	42. 2	43. <u>2</u>
4th	44. 3	457	46.9_	47. <u>0</u> <u>}</u>	48. <u>U ユ</u>	49. <u> </u>	50,	51. <u>73</u> 2	<u> 52. ]</u>	53. 🗘	54. <u>3</u>	55. 💪	<sub>56.</sub> <u>2</u>
5th	57. 2	587	59. <u>5</u> ~	60. <u>2</u> 8	61. <u>0</u> <u>2</u>	- <sub>62.</sub> <u>2</u> -	63. <u> </u>	64. <u>7 3 7</u>	<u>-</u> 65. <u>/</u>	66. <u> </u>	67. <u>3</u>	68	692
6th	70. 2	71.7	72. <b>5</b>	73. <u>3</u> 2	74. <u>0 </u> 4	75. <u>3</u>	76. <u> </u>	77. <u>7_3</u>	<b>2</b> 78. <u> </u>	79. <u>/</u>	80. 3	81. <u>4</u>	82. <u>Z</u>
7th	83. 3	84	85. <u>9</u>	86. <u>0</u> 2_	87. <u>0 Z</u>	88	89. 🗘	90. <u>7 3 0</u>	_ 91	92	93. 2	94.2	· 95. <u>2</u> -
8th	96. 3	97. <u></u>	98.9	99. <u>04</u>	100. <u>O Z</u>	<u>-</u> 101. <u> </u>	102. <u> </u>	103. <u>7 3 م</u>	_ 104	105.	106. 2	107, 2	108. 2
9th	109	110	111	112	113	114	115	116	_ 117	118	119	120	121
10th	122	123	124	125	126	127	128	129	130	131	132,	133	134


HS Form 0435I (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

				PEDES	STRIA	LNI N	URY DAT	A				
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th												
12th `		_								—	_	
13th		<del></del>				_		_	<del></del>			_
14th		<u></u>			_			_	—	—	_	
15th	<del></del>							_				_
16th												
											—	
17th				# <u>#1_1_1</u>			<del></del>	_			_	—
18th										<u></u>		
19th								_	-	_		
20th											_	_
21st												
		_			—	_					—	—
?2nd	<del></del>	_			<del></del>	-		_			-	—
23rd	<u>-</u> -	<del>.</del>			_			-	-	_	-	_
24th		_			_	_		_		—	_	_
25th							2.00					_

## OFFICIAL INJURY DATA — SOFT TISSUE INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



#### SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE Injury not from vehicle contact Certain **OFFICIAL** Probable No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent Hospital/medical records other than (4) (5) (6) Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury Indirect contact injury Emergency room records only (including Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Injury not from vehicle contact UNOFFICIAL No residual damage Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters (5) Lay coroner report (2)Rounded (contoured) (6) E.M.S. personnel (3) Rounded edge Interviewee (5) (8) Sharp edge Other (specify): (8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify:\_ (9) Police (9) Unknown (9) Unknown PEDESTRIAN INJURY CLASSIFICATION Specific Anatomic Structure Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale **Body Region** Whole Area (O2) Skin - Abrasion (O4) Skin - Contusion (O6) Skin - Laceration Head Minor injury (06) Lumbar Moderate injury (3) (4) Serious injury Severe injury Neck (3) Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4)Thorax (5) Abdomen (08) Skin - Avulsion Critical injury Spine (10) Amputation (6) Maximum (untreatable) Injured, unknown severity (7) Upper Extremity Lower Extremity (20) Burn (30) Crush Level of Injury (40) Degloving (50) Injury - NFS (90) Trauma, other than mechanical Unspecified **Aspect** Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure Right numbers Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area (3) Bilateral To the extent possible, within the organizational framework of the AIS, 00 (4) Central Vessels Nerves (5) Anterior Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to (6) **Posterior** is assigned to all injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. ligaments) Skeletal (includes joints) (7) (8) Superior Inferior Head - LOC Unknown Whole region **INJURY SOURCE** Wheels / tires 790 Left front wheel / tire **FRONT** 700 Front bumper 744 B pillar 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 702 Front grille 792 Left rear wheel / tire 746 D pillar 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify):\_ 798 Other wheel / tire (specify): 704 Hood ornament (fixed) 749 Right side roof rail 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 754 Right side glazing forward of B pillar 718 Other front or add on object 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission 805 Drive shaft Left Side Components 758 Other right side object 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 808 Floor pan 722 A1 pillar Back Components 760 Rear (back) bumper 723 A2 pillar 809 Fuel tank 724 B pillar 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface (specify): 726 D pillar 768 Other back component 819 Unknown undercarriage component 728 Other pillar (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):\_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 775 Windshield glazing 828 Other accessory (specify):\_ 738 Other left side object 776 Front header (specify): 739 Unknown left side component Other Object or Vehicle in Environment 777 Roof surface

778 Backlight glazing

788 Other top component (specify): \_

789 Unknown top component

779 Rear header

780 Hatchback 781 Rear trunk lid

Right Side Components

741 Front antenna

742 A1 pillar

743 A2 pillar

740 Front fender side surface

947 Ground

948 Other object (specify):

997 Noncontact injury source

999 Unknown injury source

949 Unknown object in environment

959 Unknown object on contacting vehicle

Ž-4-

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

\_\_ <sup>Yes</sup> unavailable.)

Blood Alcohol Level (mg/dl)

BAL = + (99)

Glasgow Coma Scale Score

gcss = 15

Units of Blood Given

Units =


Units = U L


Arterial Blood Gases (7, 15,7802,74

Ph = \_.\_\_/

 $PO_2 = \frac{1}{PCO_2}$ 


нсо,






## OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





## PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

<i>λ</i> 0	OFFICIAL RECORDS
1. Primary Sampling Unit Number	
2. Case Number - Stratum 6 1 9 P	9. Police Reported Travel Speed 9999
3. Vehicle Number  O 1  VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
VEHICLE IDENTIFICATION	
4. Vehicle Model Year  Code the last two digits of the model year  (99) Unknown	mph X 1.6093 =kmph  10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): 24	in kmph (999) Unknown
5. Vehicle Make (specify):  Saturn  Applicable codes are found in your  NASS PCDS Data Collection, Coding and	55 mph X 1.6093 =
Editing Manual. 2/2	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported
6. Vehicle Model (specify):	(8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown  7. Body Type	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test
Note: Applicable codes may be found on the back of this page.	performed, results unknown (98) No driver present (99) Unknown Source:
8. Vehicle Identification Number	13. Police Reported Other Drug Presence
Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

## CODES FOR BODY TYPE

#### CDS APPLICABLE VEHICLES

#### **Automobiles**

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

#### Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

### Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

## Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota,
  Arrow Pickup [foreign], Ranger, Courier, S-10, T-10,
  LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up,
  Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

## OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

### Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

## Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type


### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

*	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15.	Vehicle Curb Weight	18. Impact Speed  Nearest kmph  (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
16.	Vehicle Cargo Weight  Code weight to nearest 10 kilograms.  (000) Less than 5 kilograms  (450) 4,500 kilograms or more  (999) Unknown  bs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate  (0) No reconstruction  (1) Less than 2 kmph  (2) ≥ 2 kmph and ≤ 8 kmph  (3) ≥ 9 kmph and ≤ 16 kmph  (4) ≥ 17 kmph and ≤ 26 kmph  (9) Unknown  20. Data Source of Impact Speed  (0) No impact speed calculated  (1) Zone center calculation  (2) Police calculation  (3) Driver/witness/police estimates
	Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown  STOP - VARIABLES 18 THROUGH 20  ARE COMPLETED BY THE ZONE CENTER	(Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown  22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

n	
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(O1) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal (87) Animal in roadway
up) (specify):	(88) Animal approaching roadway
	(89) Animal—unknown location
(specify):(06) Traveling too fast for conditions	(90) Object in roadway
(O8) Other cause of control loss (specify):	(91) Object approaching roadway
(Ob) Other cause of control loss (specify).	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(00) 0000 00000 prosesses (2proses),
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver 09
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle in lane	(39) Olikilowii
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver 2
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction)—over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees (4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation (5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	7.
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present (1) No avoidance maneuver
(71) From driveway, across path	(1) No avoidance maneuver (2) Vehicle stayed in travel lane where avoidance
(72) From driveway, turning into opposite direction	maneuver was initiated
(73) From driveway, intended path not known	(3) Vehicle stayed on roadway but left travel lane
(74) From entrance to limited access highway	where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	(4) Vehicle stayed on roadway, not known if left
unknown Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
(Ca) I decertain diministrative todation	(9) Directional consequences unknown


*	ENVIRO	NME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area  Non-Interchange (2) Intersection	<u> </u>	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice
	<ul> <li>(3) Intersection-related</li> <li>(4) Drive, alley access related</li> <li>(5) Other non-interchange (specify):</li> </ul>		(5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	<ul><li>(6) Unknown type of non-interchange</li><li>(9) Unknown if interchange</li></ul>	^	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	<ul> <li>Trafficway Flow</li> <li>(1) Not physically divided (two way traffic)</li> <li>(2) Divided trafficway - median strip without positive barrier</li> <li>(3) Divided trafficway - median strip with positive barrier</li> <li>(4) One way trafficway</li> <li>(9) Unknown</li> </ul>	<u>3</u> .	Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify):
29.	Number of Travel Lanes (1) One	3	<ul> <li>(7) Warning sign (not RR crossing)</li> <li>(8) Miscellaneous/other controls including RR controls (specify):</li> </ul>
	(2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown		(9) Unknown  35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	3	(9) Unknown  37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):	2	<ul> <li>(5) Fog</li> <li>(6) Rain and fog</li> <li>(7) Sleet and fog</li> <li>(8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):</li> <li>(9) Unknown</li> </ul>



## PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

dministration	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 49	3. Vehicle Number <u>0 1</u>
2. Case Number - Stratum 6 19 P	
VEHICLE IDEI	NTIFICATION
vin <u>  G87F128552</u>	Model Year 95
Vehicle Make (specify):	Vehicle Model (specify):
PEDESTRIAN FRONT C	ONTACT WORK SHEET
	4 + 44
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
PEV14 Front Bumper Cover Material	<i></i>
PEV15 Front Bumper Reinforcement Material	
VERTICAL ME	ACUDEMENTO
VERTICAL IVIE	ASUNEWENTS
PEV16 Front Bumper-Bottom Height	cm
PEV17 Front Bumper-Top Height	cm
PEV18 Forward Hood Opening PEV19 Front Bumper Lead	cm
PEV19 Front Bumper Lead	cm
WRAP DIS	STANCES
PEV20 Ground to Forward Hood Opening	cm
PEV21 Ground to Front/Top Transition Point	cm
PEV22 Ground to Rear Hood Opening	cm
PEV23 Ground to Base of Windshield	cm
PEV24 Ground to Top of Windshield	cm
PEV25 Ground to Head Contact	cm

## **VEHICLE DAMAGE SKETCH**



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

PEDESTRIAN SIDE CONTACT WORK SHE	ET
PEV06 Hood Material Stcc 2	· · · · · · · · · · · · · · · · · · ·
PEV08 Hood Length	D 9 9 cm V
PEV09 Hood Width-Forward Opening	$\frac{29}{129}$ cm $\sim$
PEV10 Hood Width-Midway	<u> </u>
PEV11 Hood Width-Rear Opening	142 cm/
1 EV 11 11000 Width Hear Opening	<u>,                                    </u>
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	019 cm/
PEV27 Side Bumper-Bottom Height	$019$ cm $\sim$
PEV28 Side Bumper-Top Height	0.4b cm
PEV29 Centerline of Wheel	<u>028</u> cm-
PEV30 Top of Tire	<u>⊘59</u> cm√
PEV31 Top of Wheel Well Opening	<u>067</u> cm~
PEV32 Bottom of A-Pillar at Windshield	<u>D</u> <u>83</u> cm
PEV33 Top of A-Pillar at Windshield	<u> </u>
PEV34 Top of Side View Mirror - from Right Side	<u>○ 97</u> cm ν
LATERAL MEASUREMENTS	
	067 076 cm
PEV35 C <sub>L</sub> to A-Pillar at Bottom of Windshield	
PEV36 C <sub>L</sub> to A-Pillar at Top of Windshield	059 cm
PEV37 C <sub>L</sub> to Maximum Side View Mirror Protrusion $+r_0$ .	<u>093</u> cm√
WRAP DISTANCES	
	080
PEV38 Ground to Side/Top Transition — of from = Ne	cm
PEV39 Ground to Hood Edge	69/cm
PEV40 Ground to Centerline of Hood (ORIGIN)	162 cm
PEV41 Ground to Head Contact, No head  Con fact	cm
CONTRCT	


#### $\angle$ inches x 2.54 = Wheelbase inches $\times 2.54$ Overall Length inches $\times 2.54$ Maximum Width pounds x .4536 =Curb Weight inches $\times 2.54$ Average Track inches x 2.54CM Front Overhang inches $\times 2.54$ Rear Overhang inches $\times 2.54$ CM Undeformed End Width x .001 =CC Engine Size: cyl./displ. \_\_\_ \_\_ \_\_ x .0164 =CID INJURY SOURCE Wheels / tires **FRONT** 790 Left front wheel / tire 744 B pillar 700 Front bumper 791 Right front wheel / tire 745 C pillar 701 Front lower valance/spoiler 792 Left rear wheel / tire 746 D pillar 702 Front grille 793 Right rear wheel /tire 748 Other pillar (specify):\_ 703 Hood edge and/or trim 798 Other wheel / tire (specify): 749 Right side roof rail 704 Hood ornament (fixed) 799 Unknown wheel / tire 750 Right side door surface 705 Hood ornament (spring loaded) 751 Right side door handle 706 Headlight Undercarriage components 752 Right side mirror fixed housing 707 Retractable headlight door (Open/Closed) 800 Front cross member 753 Right side folding mirror 708 Turn signal/parking lights 801 Steering assembly/Front suspension 754 Right side glazing forward of B pillar 718 Other front or add on object 802 Oil pan 755 Right side glazing rearward of B pillar (specify):\_ 803 Exhaust system pipe 719 Unknown front object 756 Rear antenna 804 Transmission 757 Rear fender or quarter panel 805 Drive shaft 758 Other right side object Left Side Components 806 Catalytic converter (specify): \_ 720 Front fender side surface 807 Muffler 759 Unknown right side component 721 Front antenna 808 Floor pan 722 A1 pillar 809 Fuel tank Back Components 723 A2 pillar 810 Rear suspension 760 Rear (back) bumper 724 B pillar 818 Other undercarriage component 761 Tailgate 725 C pillar (specify): \_ 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 768 Other back component 728 Other pillar (specify): (specify): 769 Unknown back component **Accessories** 729 Left side roof rail 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna Top Components 731 Left side door handle 822 Emergency lights or bar 770 Hood surface 732 Left side mirror fixed housing 823 Fog lights 771 Hood surface reinforced by under hood 733 Left side folding mirror 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):\_\_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 826 Spare tire 773 Cowi area 736 Left side back fender or quarter panel 827 Spotlight 774 Wiper blade & mountings 737 Rear antenna 828 Other accessory (specify):\_ 775 Windshield glazing 738 Other left side object 776 Front header (specify): Other Object or Vehicle in Environment 777 Roof surface 739 Unknown left side component 947 Ground 778 Backlight glazing 948 Other object (specify):\_ 779 Rear header Right Side Components 949 Unknown object in environment 780 Hatchback 740 Front fender side surface 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 997 Noncontact injury source 788 Other top component (specify): \_ 742 A1 pillar 999 Unknown injury source


789 Unknown top component

743 A2 pillar

ORIGINAL SPECIFICATIONS

## **VEHICLE DAMAGE SKETCH**





NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 160 cm.

Crisin To Front = 170 A

Origin To Side = 160

			POINTS	OF PEDEST	RIAN CONTA	CT		
	PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BOOY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
A	BUMPEL Cover.	+76 END	#655MRT +26 QND	0	LOWER	BOOT/JEN SLUPPS	① 2 3 9	. /:
	(VEAF)	46-151 Page	-132°	2		J-1/7	1 2 3 9	
B	WHEEL	0 57Ang / -7640 /	-120 1600	0	LOWER LEXA FOOT	BLARKSCHE	<b>(</b> 1) 2 3 9	
<u> </u>	windshiew	-372 977 (15 -44 5N)	-51 v	o	HANO	SKW SCUPF	<b>()</b> 2 3 8	
	MIRROR	-68	-82:	6	HIP/LEG	SLUFF	Ø 2 3 9 €	
5	MM BOW TILIM	-76 TO -47	-77	84 ver	MASS	<i>448</i>	0211	
[ [=	Door	-110 To -144	-79	911907	MIKER	SCRARIHE?	Ø 2 . 3°. 9 a	
G	LA Prop	-163 pa-116	-83	0	Seat	Transfor	0211	
1	SIDEPANEL	-1820-251	-81	86vent	MIRROR	SCIZATELE?	Q 2 3 9	2
AL	REALLID	27170-45		97V=NT)	ARMS	DIVE FTIMELE	0239	
CZ	Sporten	-306	-62	is vert		LIGHT KLUE	① 2 3 9 ② 2 3 9	
H	Bhure	- 77	-51.	158 NEVITY	SHAC	CARDBOARD?	① 2 3 9	
DV EL	SIDE GLASI	-1437-167 -140	-71	AGIABICT	buk WIG	GLASS UTIT	1 2 1 8	
		1.4.5		0	CAI( W		1 2 3 9	
<b>5</b> ~	14 · CA +	tx F	Don (	-210	a: 4. d:		1 2 1 9	
	te: Cont Location	unablo	to veri	3 at 2	Re. (Re	earcler	1 2 3 9	
	of from	pe mea A e lo	Cear	Round	tran .	2.472	1 2 3 9	
	Also No	P .		•	1		1 2 3 9	
	G2 to v						1 2 379	
		σ					1 2 3 9	
							1 2 3:8:	
							1 2 3 9	
						·	1 2 3 95	
	1			1			1 2. 3 95	

# POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS

CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	
1							1 2 3 9	
2							1 2 3 9	
3							1 2 3 9	
4							1 2 3 9	
5							1 2 3 9	
							1 2 3 9	
7							1 2 3 9	
8							1 2 3 9	
9							1 2 3 9	
10							1 2 3 9	
11							1 2 3 9	
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15							1 2 3 9	
16							1 2 3 9	
17							1 2 3 9	
18							1 2 3 9	
19							1 2 3 9	
20							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
ZA.							1 2 3 8	
25							1 2 3 9	

VEHICLE DIMENSIONS	11. Hood Width Rear Opening 14ン
4. Original Wheelbase 252	Code to the
	nearest centimeter
Code to the nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
(999) Chkhown	
$\underline{992}$ inches X 2.54 = $\underline{252}$ centimeters	inches X 2.54 = centimeters
	12. Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width 1430	Pedestrian
Code to the	(0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
	(3) Moderate crush (4-7 centimeters)
$\underline{56}$ .4 inches $\times 2.54 = \underline{143}$ centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from pedestrian impact
2	
6. Hood Material	(o) Olikilowii
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):(9) Unknown	(3) Unknown if contacted by pedestrian - not
(a) Olikilomii	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged (9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement	dikilowii ii daliiaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
8. Hood Length Code to the	1
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(O) No front contact
(999) Unknown	(1) Plastic
	(2) Fiberglass (3) Rubber
inches X 2.54 = centimeter	(4) Other (specify):
9. Hood Width Forward Opening	(9) Unknown
· · · · · · · · · · · · · · · · · · ·	(5)
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter	(O) No front contact
(210) 210 centimeters or more (999) Unknown	(1) Steel
(333) UIIKIUWII	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel
	(4) Other (specify):
10. Hood Width Midway 138	(9) Unknown
Code to the	16. Front Bumper-Bottom Height
nearest centimeter	Code to the
(210) 210 centimeters or more	nearest centimeter
(999) Unknown	(000) No front contact
1t	(150) 150 centimeters or more
inches X 2.54 = centimeters	(150) 150 centimeters or more (999) Unknown
inches X 2.54 =centimeters	

17. Front Bumper-Top Height  Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more	23. Ground to Base of Windshield  Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
(999) Unknown inches X 2.54 = centimeters	inches X 2.54 = centimeters
18. Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield  Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters  25. Ground To Head Contact
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters	inches X 2.54 = centimeters
	SIDE CONTACT DAMAGE
Front Wrap Distance Measurements	
	Side Vertical Measurements
	· ·
20. Ground to Forward Hood Opening  Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown  inches X 2.54 = centimeters  21. Ground to Front/Top Transition Point  Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown  inches X 2.54 = centimeters	26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters  27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown  inches X 2.54 = centimeters

	_	n 2 n	Side Lateral Messuremer	170
29.	Centerline of Wheel	028	Suc Lotoidi Mensulti ilti	e nod
	Code to the			
1	nearest centimeter		05 0	174
İ	(000) No side contact	_	35. Centerline to A-Pillar	Dia
	(150) 150 centimeters or more	Ť	at Bottom of Windshield	067
j	(999) Unknown		(000) No side contact	
ì	(999) OHKHOWH		Code to the	
			nearest centimeter	
	inches X 2.54 =	centimeters	(250) 250 centimeters or more	•
			(999) Unknown	
İ		0	(399) OHKHOWH	•
30.	Top of Tire	0591		
l	Code to the		inches X 2.54 =	centimeters
	nearest centimeter			•
	(000) No side contact			
	(200) 200 centimeters or more		36. Centerline to A-Pillar	059
			at Top of Windshield	
	(999) Unknown		Code to the	
			nearest centimeter	
	inches X 2.54 =	centimeters	(000) No side contact	
ļ			, ,	
		~ ( -	(250) 250 centimeters or more	
31.	Top of Wheel Well Opening	067	(999) Unknown	
	Code to the			
1	nearest centimeter		inches X 2.54 =	centimeter
1	***************************************			
1	(000) No side contact			
1	(250) 250 centimeters or more		37. Centerline to Maximum Side	093
1	(999) Unknown		View Mirror Protrusion	
l				
	inches X 2.54 =	centimeters	Code to the	
		_	nearest centimeter	
32	Bottom of A-Pillar at Windshield	083	(000) No side contact	
02.	Code to the		(300) 300 centimeters or more	
1			(999) Unknown	
1	nearest centimeter			
1	(000) No side contact		inches X 2.54 =	centimeter
1	(250) 250 centimeters or more			_
1	(999) Unknown			
			Side Wrap Distance Measure	ements
İ	inches X 2.54 =	centimeters	•	***************************************
1		<del></del>		_
ł		1 2 1	20 Ground to Sido/Ton Transition	(1)77
33	Top of A-Pillar at Windshield	121-	38. Ground to Side/Top Transition	<del></del>
55.	•		Code to the	() R O
	Code to the		nearest centimeter	J 3 -
1	nearest centimeter		(000) No side contact	
l	(000) No side contact		(400) 400 centimeters or more	
1	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			
			. inches X 2.54 =	centimeters
	inches X 2.54 =	centimeters		
		_	00.0	091 2
1 24	Ton of Cido View Misses	097	39. Ground to Hood Edge	211
34.	Top of Side View Mirror	211	Code to the	
	Code to the		nearest centimeter	
	nearest centimeter		(000) No side contact	
l	(000) No side contact		(500) 500 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
1	(999) Unknown		(OOO) OHKHOWH	
	, , , , , , , , , , , , , , , , , , , ,		tankan V 6 F4	contimeters
	inches X 2.54 =	centimeters	inches X 2.54 =	— cannualerals
	IIICIRS A 2.34 =			

40	Ground to Centerline of Hood 162	
40.	Ground to Centerline of Hood  Code to the	
	nearest centimeter	
	(000) No side contact	·
	(700) 700 centimeters or more	
	(999) Unknown	
	, , , , , , , , , , , , , , , , , , , ,	
	inches X 2.54 = centimeters	<i>Y</i>
	600	
41.	Ground to Head Contact 9998	
	Code to the	
	nearest centimeter	
	(000) No side contact	
	(800) 800 centimeters or more (998) No head contact	
	(999) Unknown	
	(000) Changun	
	inches X 2.54 = centimeters	

## PEDESTRIAN INTERVIEW FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

\* 1 \* 1- Maj

1. Primary Sampling Unit Number 49 Interviewee(s) Role or Name(s):
2. Case Number - Stratum 6 19 P
3. Pedestrian Number <u>0 1</u>
Review all available information and interview questions prior to conducting interview(s) to ensure the acquisition of all pertinent data.
If the pedestrian was not the person interviewed, was an appointment made for a follow-up interview?
PEDESTRIAN'S DESCRIPTION OF ACCIDENT EVENTS
IN TRONT OF SEAD
APPROX SET CESS OF SHOWLDEN-
NR SON (2) -
POD RUNNING WEST KROSS FREWAY & KAN INDO LEFT SIDE OF CAM - KNOCKED HIM DOWN THE EMBANKMENT TO WEST -
FMRANKMENT TO WEST -
WITNESS DESCRIPTION OF ACCIDENT EVENTS
WITNESS DESCRIPTION OF ACCIDENT EVENTS
,

Λ		$\sim$		T		<b>AGR</b>	$\Lambda R I$
VΑN	u	o I		4	DIF	1GD	AIV



The use of this diagram is optional. It may serve to aid in relating interviewee accident trajectory data (i.e., pre-impact to FRP orientations) to identifiable objects in the environment.

**INDICATE NORTH** 

PSU NUMBER CASE NUMBER YEAR

49	
619P	
1995	

## PEDESTRIAN INTERVIEW FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- [] ENTIRE FORM
- [/] PAGE NUMBER (S) \_\_\_\_\_\_

[] Other (specify):\_\_\_

to question 6a.

M No

6a. Do you know what caused the injuries?

[ ] Yes - specify injury sources, striking profile, type of damage, and damage depth on the manikin(s).


Case Number – Stratum 6 19 P


Pedestrian Number 0 1




Indicate the Location, Lesion, Detail, and Source of all injuries. Specify interviewee(s):\_Falcho


SOFT TISSUE/INTERNAL INJURIES





**SKELETAL INJURIES** 







U.S. Department of Transportation National Highway Traffic Safety

## DRIVER INTERVIEW FORM

iministration	INTERVIEW ORM	PEDESTRIAN CRASH DATA STUDY
1. Primary Sampling Unit Number 49	Interviewee(s) Role or Name(s):	DRIVER -
2. Case Number - Stratum 6 19 P		
3. Vehicle Number <u>0 1</u>		
Review all available information and interview que acquisition of all pertinent data.	stions prior to conducting interview(	s) to ensure the
If the driver was not the person interviewed, was a	n appointment made for a follow-up	interview?
DRIVER'S DESCR	IPTION OF ACCIDENT EVEN	NTS
		Term
5/B 6M	IN CENTER !	or Typa:
LANES - SAW PED W	munic WEST Fr	iona LEFT
LANG KIND CONTER	LANE - HE ETTH	en Stipped on
Pleaser Arnost SA	Ples la MIDDLE DE	- CENTER LANE -
I CUT MY WHER TO	RICHT & HIT BA	SICES (No Locus)
1 CEFT SURE UF MY	Com Hur Pop-	HE RICLES Brown
CETT SUE OF CAN &	I WORKED IN MY	MEAN - VIEW MINDON
* SAW HEN CTING IN R	DAD IN NO A CON.	Dr (ANZ-UKn
18xx IN RIGHT CANE /LOG	in he Course LANE	- SAW Hen hor
Up & WAZULTO Cues - SHO	WilDon-I Pour	SO DEO ON TO
AT SHOULDER & STUPPED	······································	
OCCUPANT'S DESC	CRIPTION OF ACCIDENT EV	ENTS
COOCI ANTO DECC	THE HOLD OF ACCIDENT LY	LIVIO
	***************************************	
· · · · · · · · · · · · · · · · · · ·		
	TYRING	
		with the contract of the contr

> •						
		A	CCIDENT DIAGR	AM		
,	*			The use of this diagram is optional. It may serve to aid in relating interviewee accident trajectory data (i.e., pre-impact to FRP orientations) to identifiable objects in the environment.		
			INDICATE NORTH		BEST AVAILABLE COPY	
			4			
			TOPE	₹\$P		
	*	A				

National Accident Sampling System-Crashworthiness Dat	a System: Pedestrian Driver Interview Form Page 2
1. Primary Sampling Unit Number 49	3. Vehicle Number01
2. Case Number - Stratum 6 19 P	4. Occupant Number <u>0 1</u>
DRIVER CRASH D	ATA QUESTIONS
1. Can you tell me in which direction you were traveling?  [] North South [] East [] West  (Optional - Where were you coming from or going to?	6b. Did the vehicle skid sideways? [] Yes Which way? [] Clockwise [] Counter clockwise How much rotation?
2. In which lane were you traveling? (Note: Lane 1 is designated as the right curb lane.)  [1] (2) [3] [4] [ ] Other (specify):  ———————————————————————————————————	[] Less than 30° [] 30° or more [] No
3. Can you remember your <u>estimated travel speed</u> (in miles per hour) before the accident?  [ ] Stopped [ ] 1-10 [ ] 10-20 [ ] 20-30 [ ] 30-40 [ ] 40-50 [ ] 50-60 [ ] 60-70 [ ] 70+	7. Where was your vehicle at the time of the collision?  [ ] Original travel lane [ ] Different travel lane [ ] In intersection [ ] Off roadway to right [ ] Off roadway to left [ ] Other (specify):
4. Just before the accident, can you tell me what you were intending to do or were doing?  [ Going straight	8. Was your travel speed at the time of the collision different from your previous travel speed?  [ No         [ ] Lower         [ ] Higher         [ ] Unknown  8a. Can you estimate your speed at the time of the collision?
5. Did you experience any loss of control?  [ No [ ] Yes (If yes, describe below)  6. Did you have to take any avoidance actions prior to the accident?  [ ] No - Go to question 7 [ ] Yes - Go to question 6a	[] Stopped [] 1-10 [] 10-20 [] 20-30 [] 30-40 [] 40-50 [] 50-60 [] 60-70 [] 70+  9. Immediately following the collision, can you describe how your vehicle moved to its stopped position?  Pucco Dyon To Ro Shub
[ ] Braking with lock-up [ ] Braking without lock-up [ ] Releasing brakes [ ] Accelerating [ ] Steering left [ ] Steering right [ ] Other (specify):	10. What direction was your vehicle facing at final rest?  N W. E  11. Where was your vehicle when it came to rest?  [ ] Original travel lane [ ] In intersection [ ] Off roadway to right [ ] Other (specify):

ational Accident Sampling System-Crashworthiness Da	
1. Primary Sampling Unit Number 49	5. Vollidio I (allias)
2. Case Number - Stratum 6 19 P	4. Occupant Number0_1_
VEHICLE/DRIVER PEDESTRIAN RELA	ATED DATA QUESTIONS (CONTINUED)
23. Did the pedestrian do anything to avoid being hit, like:  [] Stopping [] Accelerating pace [] Running away (along vehicle path) [] Jumping [] Turning towards the vehicle [] Turning towards the vehicle [] Turning away from the vehicle [] Vault corner of vehicle [] Vault corner of vehicle [] Vault onto the vehicle [] Brace against vehicle [] Crouch and brace hands against vehicle [] Combination of above (specify): [] No  25. Where did the pedestrian hit the vehicle? Would you say: [] The front [] Corner, or [] Side  26. When struck by the vehicle was the pedestrian's chest: [] Facing vehicle [] Facing away [] Left side to vehicle [] Right side to vehicle [] Other (specify):  27. Which way was the pedestrian's head facing (relative to the chest) at impact? [] To front [] To Enft [] To Right [] Up [] Down [] Other (specify):  28. Where were the pedestrian's arms at impact? Would you say: [] At sides [] Folded across chest [] Hands clasped behind back [] Hands on hips [] Hands in pockets  one or both arms: [] Extended upward [] Extended forward, bracing [] Extended forward or backward holding or pulling  object [] Holding object in arms [] Holding object on shoulder or hand [] Other (specify): [] Cother (specify): [] Holding object in arms [] Holding object in arms [] Holding object on shoulder or hand [] Other (specify): [] Stended (specify): [] Holding object in arms [] Holding object on shoulder or hand [] Other (specify): [] Holding object on shoulder or hand	29. Where were the pedestrian's legs at impact?  Were they:    Together   Apart, laterally   Apart, right leg forward   Apart, right leg forward   Right foot off the ground   Both feet off the ground   Other (specify):



0000000000000000 Õ1 49619P00010012 958.0510000000000101L72000 8.05 0000000003811835209715010913014013110049819702331019715 49619P00010021 1010000000008 8.05 00000000038902021272011322 49619P00010131 8.05 00000000078906021172011322 49619P00010231 8.05 00000000078904021172011322 49619P00010331 8.05 00000000037902021173211362 49619P00010431 8.05 00000000027528022173211362 49619P00010531 8.05 00000000027532043173211362 49619P00010631 8.05 00000000035902021173011222 49619P00010731 8.05 00000000035904021173011222 49619P00010831 8.05 0000000009524002021G8ZE1285SZ

79310180092213313210021

8.05 0000000002521433109912913814211000000000000000000000000 49619P01000051 0000000019019046028059067083121097067059093080091162998

00000000000000

PSU49 CASE 619P

49619P01000041

CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

A STATE OF THE PARTY OF THE PAR	
	96
Commence of the Party of the Pa	

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	Ó	0	0	Υ
Pedestrian Injury	Ō	0	0	Υ
Pedestrian General Vehicl	e 0	0	0	Υ
Pedestrian Exterior Vehic	le O	О	0	Υ
Total Inter Errors		o	0	
Total Case Errors	o	0	o	